

INSTALLATION INSTRUCTION

Model	Product	Code
HONDA X ADV 750 2021+	License Plate Holder	NP-HXADV21



CONTENTS

1. 2 pcs Iron DKP (D2-NP-HXADV-SET)
2. 2 pcs M6X25 Allen screws with round head
3. 4 pcs 6X18 washers
4. 2 pcs M6 Security nuts

MATERIAL DESCRIPTION

The product is made of 2mm DKP iron in black electrostatic paint.
The screws-nuts-washers are galvanized.



These are the contents you will find inside the product package as well as a card containing the link to download the leaflet with the detailed installation instructions and step-by-step rich photographic material.

Before starting the installation, read the instructions carefully so that you know if you have the right tools and skills, otherwise contact a professional.

The product is for race use only

For any further information please do not hesitate to contact us: Tel.: +30 2108075387 Email: info@c-racer.com



First remove the reflector on the back.



Then remove the two screws that hold the License Plate Holder. To be able to remove it completely you need to slightly open the sides of the outer plastic.



Install the new License Plate Holder. The small part goes inside and the big one outside, as shown in the photo.



Screw the two parts together, putting a washer inside and one outside. Before tightening, adjust the angle you want to have.



The rotation capabilities of the new License Plate Holder.
You can have it in any position you want.



The standard License Plate Holder.



This will be your final result.
Have a nice ride.